

Serket (1999) vol. 6(2): 45-72.

Catalogue and Bibliography of Family Hersiliidae 1825-1998 (Arachnida: Araneida)

Hisham K. El-Hennawy
41, El-Manteqa El-Rabia St., Heliopolis,
Cairo 11341, Egypt

Introduction

Among the 106 families of spiders, Hersiliidae is one of the interesting families in shape and behaviour. It is firstly noticed by Savigny (Audouin, 1825) who described *Hersilia caudata*. Baehr & Baehr (1987) began the recent taxonomic work on this family. Their continuous works provide us with very important information about the taxonomy, phylogeny, and zoogeography of hersiliids.

This work is a grouping of the data included in the following catalogues (using the same abbreviations) :

Roewer, C.F. 1942

Katalog der Araneae von 1758 bis 1940.

1.Band 1040 pp. Bremen.

[Family Hersiliidae: pp. 381-384]

Brignoli, P.M. 1983

A Catalogue of the Araneae described between 1940 and 1981.

Ed. P.Merrett. 755 pp. Manchester University Press.

(In association with The British Arachnological Society)

[Family Hersiliidae: pp. 430-432]

Platnick, N.I. 1989

Advances in Spider Taxonomy 1981-1987.

Ed. P.Merrett 673 pp. Manchester University Press.

(In association with The British Arachnological Society)

[Family Hersiliidae: pp. 174-176]

Platnick, N.I. 1993

Advances in Spider Taxonomy 1988-1991,

with Synonymies and Transfers 1940-1980.

Ed. P.Merrett 846 pp. New York Entomological Society.

(In association with The American Museum of Natural History)

[Family Hersiliidae: pp. 161-163]

Platnick, N.I. 1997

Advances in Spider Taxonomy 1992-1995,

with Redescriptions 1940-1980.

Ed. P.Merrett 976 pp. New York Entomological Society.

(In association with The American Museum of Natural History)

[Family Hersiliidae: pp. 235-240]

The author is much indebted to Dr. Barbara Baehr for her notices on this work and for her references. Rana, the author's wife helped with typing and correcting several times. Mr. Mohammed A. Mohafez who is studying the biology and behaviour of *Hersilia caudata*, activated me to achieve this work.

=====

Family **Hersiliidae** : 7 genera, 146 species.

Distribution: Tropical and Subtropical.

Gen. **Hersilia** Savigny, 1825 [56 species]

West Africa to Australia

Gen. **Hersiliola** Thorell, 1870 [9 species]

Mediterranean to Central Asia, Nigeria, South Africa

Gen. **Murricia** Simon, 1882 [3 species]

India, Sri Lanka, Singapore

Gen. **Neotama** Baehr & Baehr, 1993 [4 species]

India, Sri Lanka, Java, Sumatra

Gen. **Promurricia** Baehr & Baehr, 1993 [1 species]

Sri Lanka

Gen. **Tama** Simon, 1882 [24 species]

Central and South America, South Africa, Mediterranean, Sri Lanka

Gen. **Tamopsis** Baehr & Baehr, 1987 [49 species]
Australia, New Guinea

=====

CATALOGUE OF GENERA AND SPECIES

Family **HERSILIIDAE**

Gen. **Hersilia** Savigny, 1825 [56 species]

♂♀ **H. albicomis** Simon, 1887 West, Central Africa
H. a. Simon, 1887a: 273 (D ♀).
H. a. Simon, 1893: 443, f. 425 (N ♂).
H. decellei Benoit, 1967: 17, f. 3, 18 (D ♀).
H. a. Benoit, 1967: 26, f. 23, 28, 31 (♂♀).
H. a. Benoit, 1971: 153 (S).

♀ **H. albinota** Baehr & Baehr, 1993 China
H. a. Baehr & Baehr, 1993: 60, f. 9, 39a-b, e-f (D ♀).

♂♀ **H. albomaculata** Wang & Yin, 1985 China
H. a. Wang & Yin, 1985: 47, f. 2A-D (D ♀).
H. a. Song & Chen, 1985: 445, f. 1-2 (D ♂).
H. a. Song, 1987: 114, f. 77 (♂♀).
H. a. Chen & Zhang, 1991: 79, f. 70.1-4 (♂♀).
H. a. Baehr & Baehr, 1993: 19, f. 2, 16a-d (♂).
H. a. Baehr, 1998: 62, f. 1e (♂).

♂♀ **H. alluaudi** Berland, 1919 Central, East Africa
H. a. Berland, 1919: 348, f. 6, 7 (D ♂).
H. a. Berland, 1920: 123, f. 144, 145 (D ♂).
H. a. Benoit, 1967: 22, f. 5, 14-15, 20 (♂, D ♀).

♂♀ **H. arborea** Lawrence, 1928 Namibia
H. a. Lawrence, 1928: 239, pl. 21, f. 23, 24 (♂♀).
H. a. Smithers, 1945: 6, f. 5f, 6a (♂♀).
H. a. Benoit, 1967: 24, f. 16, 21 (♂♀).

♂♀ **H. asiatica** Song & Zheng, 1982 China, Taiwan, Thailand
H. a. Song & Zheng, 1982: 40, f. 1-5 (D ♂♀).
H. a. Hu, 1984: 81, f. 74.1-5 (♂♀).
H. a. Song, 1987: 116, f. 78 (♂♀).

- H. a.* Feng, 1990: 48, f. 23.1-6 (♂♀).
H. a. Chen & Zhang, 1991: 78, f. 69.1-5 (♂♀).
H. a. Baehr & Baehr, 1993: 25, f. 20c-f (♂♀).
H. a. Chen, 1994: 1, f. 1A-F (♂♀).

- ♂♀ ***H. australiensis*** Baehr & Baehr, 1987 Northern Territory
H. a. Baehr & Baehr, 1987: 354, f. 1-2 (D ♂♀). (Australia)
H. a. Baehr, 1998: 62, f. 1f,i (♂♀).

- ♂♀ ***H. baforti*** Benoit, 1967 Zaire (Congo)
H. b. Benoit, 1967: 19, f. 4, 11-12, 19 (D ♂♀).

- ♂♀ ***H. baliensis*** Baehr & Baehr, 1993 Bali
H. b. Baehr & Baehr, 1993: 42, f. 28c-f (D ♂♀).

- ♂ ***H. bifurcata*** Baehr & Baehr, 1998 Northern Territory
H. b. Baehr & Baehr, 1998: 14, f. 1,2,27 (D ♂).

- ♂♀ ***H. caudata*** Savigny, 1825 {T} West Africa to China
H. c. Audouin, 1825: 115, pl. 1, f. 8 (D ♀).
H. c. Audouin, 1827: 318, pl. 1, f. 8 (D ♀).
H. c. Walckenaer, 1837: 371 (D ♀).
H. c. C. L. Koch, 1843: 103, f. 824 (D ♀).
H. c. var diversa O. P.-Cambridge, 1876: 560, pl. 58, f. 6 (N).
H. c. Simon, 1893: 446, f. 418-423 (N).
H. c. Kulczyński, 1901: 18, pl. 1, f. 18, 19 (D ♂♀).
H. hirtiventris Benoit, 1967: 23, f. 6-7 (D ♀).
H. c. Benoit, 1967: 34, f. 37, 40, 44 (♂♀, S).
H. c. Benoit, 1971: 152 (S).
H. c. Baehr & Baehr, 1993: 17, f. 1, 15a-f (♂♀).
H. c. Baehr, 1998: 62, f. 1d (♂).

- ♂ ***H. clarki*** Benoit, 1967 Zambia
H. c. Benoit, 1967: 20, f. 13 (D ♂).

- ♀ ***H. clypealis*** Baehr & Baehr, 1993 Thailand
H. c. Baehr & Baehr, 1993: 45, f. 30e-f (D ♀).

- ♀ ***H. corticola*** Lawrence, 1937 South Africa
H. c. Lawrence, 1937: 226, f. 7 (D ♀).
H. c. Lawrence, 1938: 481 (C ♀).
H. c. Smithers, 1945: 5, f. 5d (♀).

- H. c.* Benoit, 1967: 15, f. 1 (♀).
- ♂♀ ***H. deelemanae*** Baehr & Baehr, 1993 Sumatra
H. d. Baehr & Baehr, 1993: 27, f. 4, 21a-f (D ♂♀).
- ♀ ***H. facialis*** Baehr & Baehr, 1993 Sumatra
H. f. Baehr & Baehr, 1993: 61, f. 10, 40a-b, e-f (D ♀).
- ♂ ***H. feai*** Baehr & Baehr, 1993 Myanmar
H. f. Baehr & Baehr, 1993: 36, f. 25c-d, g (D ♂).
- ♂♀ ***H. flagellifera*** Baehr & Baehr, 1993 Sumatra
H. f. Baehr & Baehr, 1993: 46, f. 6, 31a-f (D ♂♀).
- ♀ ***H. fossulata*** Karsch, 1881 Madagascar
H. f. Karsch, 1881: 195 (D ♀).
- ♀ ***H. hildebrandti*** Karsch, 1878 Zanzibar
H. h. Karsch, 1878: 313, pl. 8, f. 2 (D ♀).
H. h. Benoit, 1967: 31, f. 26 (♀).
- ♀ ***H. impressifrons*** Baehr & Baehr, 1993 Borneo
H. i. Baehr & Baehr, 1993: 57, f. 37e-f (D ♀).
- ♂♀ ***H. incompta*** Benoit, 1971 Ivory Coast
H. i. Benoit, 1971: 154, f. 2, 6 (D ♂♀).
- ♂♀ ***H. insulana*** Strand, 1907 Madagascar
H. i. Strand, 1907a: 728 (D ♂♀).
H. i. Strand, 1907c: 26 (D ♂♀).
- ♀ ***H. kauderni*** Strand, 1908 Madagascar
H. k. Strand, 1908: 457 (D ♀).
- ♂♀ ***H. kinabaluensis*** Baehr & Baehr, 1993 Borneo
H. k. Baehr & Baehr, 1993: 23, f. 3, 19a-f (D ♂♀).
- ♂♀ ***H. longbottomi*** Baehr & Baehr, 1998 Northwestern Australia
H. b. Baehr & Baehr, 1998: 18, f. 7-10, 27 (D ♂♀).
- ♂ ***H. madang*** Baehr & Baehr, 1993 New Guinea
H. m. Baehr & Baehr, 1993: 53, f. 8, 35a-d (D ♂).

- ♀ **H. mainae** Baehr & Baehr, 1995 Western Australia
H. m. Baehr & Baehr, 1995: 107, f. 1a-e (D ♀).
- ♂ **H. martensi** Baehr & Baehr, 1993 Nepal
H. m. Baehr & Baehr, 1993: 21, f. 17c-d (D ♂).
- ♂♀ **H. mimbi** Baehr & Baehr, 1993 Western Australia
H. m. Baehr & Baehr, 1993: 349, f. 1-4 (D ♂♀).
H. m. Baehr, 1998: 62, f. 1g,j (♂♀).
- ♀ **H. mjoebergi** Baehr & Baehr, 1993 Sumatra
H. m. Baehr & Baehr, 1993: 44, f. 29e-f (D ♀).
- ♂♀ **H. nentwigi** Baehr & Baehr, 1993 Java, Sumatra, Krakatau
H. n. Baehr & Baehr, 1993: 40, f. 27c-d (D ♂♀).
- ♂♀ **H. nepalensis** Baehr & Baehr, 1993 Nepal
H. n. Baehr & Baehr, 1993: 34, f. 24c-d, f-g (D ♂♀).
- ♀ **H. nossibeensis** Strand, 1915 Nossibé ?
H. n. Strand, 1915: 55 (D ♀).
- ♂♀ **H. novaeguineae** Baehr & Baehr, 1993 New Guinea
H. n. Baehr & Baehr, 1993: 55, f. 36c-f (D ♂♀).
- ♂♀ **H. occidentalis** Simon, 1907 West, Central Africa, Principe
H. o. Simon, 1907: 248 (D ♂).
H. brevimammillata Strand, 1913a: 339 (D ♀).
H. o. Benoit, 1967: 30, f. 25, 30, 34-35 (♂, S ♀).
- ♂ **H. pectinata** Thorell, 1895 Myanmar, Borneo, Philippines
H. p. Thorell, 1895: 58 (D ♂).
H. p. Pocock, 1900: 241 (D ♂, nec ♀).
H. p. Baehr & Baehr, 1993: 48, f. 32c-d (♂ ; ♀ of Sinha, 1951 =
H. tibialis).
H. p. Baehr, 1998: 62, f. 1a.
- ♂♀ **H. pungwensis** Tucker, 1920 South Africa
H. p. Tucker, 1920: 475, pl. 29, f. 11 (D ♂).
H. p. Smithers, 1945: 6, f. 5e, 6c (♂, D ♀).
H. p. Benoit, 1967: 36, f. 38, 41-42, 45 (♂♀).

♂♀ **H. savignyi** Lucas, 1836 Sri Lanka, India to Myanmar, Philippines

H. s. Lucas, 1836: 8, pl. 13, f. 1 (D ♀).

H. indica Walckenaer, 1837: 372 (D part.).

H. calcuttensis Stoliczka, 1869: 216, pl. 20, f. 9 (D ♀).

H. s. Simon, 1885: 19, pl. 10, f. 18, 19 (N ♂).

H. s. Thorell, 1887: 80 (D ♂♀).

H. s. Simon, 1893: 414, f. 417, 426 (N ♂♀).

H. clathrata Thorell, 1895: 56 (D ♀).

H. s. Pocock, 1900: 241, f. 82 (D ♀).

H. clathrata Pocock, 1900: 242 (D ♀).

H. s. Gravely, 1922: 1050, pl. 5, f. 13 (N).

H. s. Benoit, 1974: 995, f. 1, 4 (♀).

H. s. Tikader & Biswas, 1981: 47, f. 74-76 (♀).

H. clathrata Yaginuma & Wen, 1983: 193, f. 2A-B (♀).

H. clathrata Xu, 1984: 25, f. 1-4 (♀, D ♂).

H. s. Baehr & Baehr, 1993: 29, f. 5, 22a-f (♂♀, S).

H. clathrata Barrion & Litsinger, 1995: 411, f. 246a-k (♂♀).

♀ **H. segregata** Benoit, 1967 Kenya, Tanzania

H. s. Benoit, 1967: 24, f. 22, 27 (D ♀).

♂♀ **H. sericea** Pocock, 1898 South Africa

H. s. Pocock, 1898: 214, pl. 8, f. 9 (D ♀).

H. bicornis Tucker, 1920: 473, pl. 29, f. 10 (D ♂♀).

H. s. Lawrence, 1937: 228 (C ♀).

H. s. Smithers, 1945: 5, f. 5c (♀).

H. bicornis Smithers, 1945: 5, f. 5b, 6d (♂♀).

H. hanströmi Kauri, 1950: 8, f. 5 (D ♀).

H. s. Benoit, 1967: 27, f. 24, 29, 32-33 (♀, S ♂).

♂♀ **H. setifrons** Lawrence, 1928 Namibia

H. s. Lawrence, 1928: 241, pl. 21, f. 25 (D ♂♀).

H. s. Smithers, 1945: 7, f. 5a, 6b (♂♀).

H. s. Benoit, 1967: 32, f. 36, 39, 43 (♂♀).

♂♀ **H. sigillata** Benoit, 1967 Ivory Coast, Zaire (Congo)

H. s. Benoit, 1967: 15, f. 2, 8-10, 17 (D ♂♀).

♂♀ **H. simplicipalpis** Baehr & Baehr, 1993 Thailand

H. s. Baehr & Baehr, 1993: 32, f. 23c-g (D ♂♀).

- ♂♀ **H. striata** Wang & Yin, 1985 China, Myanmar, Thailand, Java,
H. s. Wang & Yin, 1985: 45, f. 1A-E (D ♂♀). Sumatra
H. s. Song, 1987: 117, f. 79 (♂♀).
H. s. Baehr & Baehr, 1993: 37, f. 26c-g (♂♀).
- ♀ **H. stumpfi** Strand, 1915 Nossibé ?
H. s. Strand, 1915: 57 (D ♀).
- ♀ **H. sumatrana** (Thorell, 1890) Malaysia, Sumatra, Borneo
Chalinura s. Thorell, 1890a: 319 (D o).
Hersilia s. Thorell, 1890b: 8 (D ♀).
Tama s. Simon, 1893: 445 (N).
Hersilia s. (? = *ceylonica*) Strand, 1907b: 18 (D ♀).
H. stevensi Sinha, 1951: 123, f. 1 (D ♀).
H. s. Baehr & Baehr, 1993: 50, f. 33e-f (T ♀ from Tama, S).
- ♂♀ **H. sundaica** Baehr & Baehr, 1993 Lambok, Sumbawa (Indonesia)
H. s. Baehr & Baehr, 1993: 58, f. 38c-f (D ♂♀).
- ♂♀ **H. tenuifurcata** Baehr & Baehr, 1998 Northwestern Australia
H. b. Baehr & Baehr, 1998: 20, f. 11-14,27 (D ♂♀).
- ♂♀ **H. tibialis** Baehr & Baehr, 1993 India, Sri Lanka
H. pectinata Sinha, 1951: 123, f. 2 (♀, misidentified).
H. t. Baehr & Baehr, 1993: 51, f. 7, 34a-f (D ♂♀).
- ♂♀ **H. vanmoli** Benoit, 1971 Ivory Coast, Togo
H. v. Benoit, 1971: 156, f. 3-5, 7 (D ♂♀).
- ♀ **H. vicina** Baehr & Baehr, 1993 Thailand
H. v. Baehr & Baehr, 1993: 22, f. 18e-f (D ♀).
- ♀ **H. vinsoni** Lucas, 1869 Madagascar
H. v. Lucas, 1869: 160, pl. 11, f. 1-5 (D ♀).
- ♂♀ **H. wellswebberae** Baehr & Baehr, 1998 Northern Territory
H. b. Baehr & Baehr, 1998: 17, f. 3-6,27 (D ♂♀).
- ♂♀ **H. xinjiangensis** Liang & Wang, 1989 China
H. x. Liang & Wang, 1989: 56, f. 1-4 (D ♂♀).
H. x. Hu & Wu, 1989: 78, f. 55.5-8 (♂♀).

- ♀ **H. yunnanensis** Wang, Song & Qiu, 1993 China
H. y. Wang, Song & Qiu, 1993: 33, f. 1-3 (D ♀).

Nomina dubia:

Baehr & Baehr, 1993: 77:

- ♀ *H. celebensis* Thorell, 1877: 472 (D ♀) Celebes, Sumatra, Amboina
 ♀ *H. fletcheri* Sinha, 1951: 125, f. 3a (D ♀) Burma
 ♂ *H. kalimpongensis* Sinha, 1951: 124 (D ♂) India
 ♀ *H. moulmeinensis* Sinha, 1951: 124, f. 3 b (D ♀) Burma

Baehr & Baehr, 1993: 78:

- ♀ *H. peguana* Thorell, 1895: 60 (D ♀) Burma
 ♀ *H. pernix* Kulczyński, 1911: 433, pl. 19, f. 10 (D ♀) New Guinea
 ♀ *H. siamensis* Simon, 1886: 156 (D ♀) Siam

 Gen. **Hersiliola** Thorell, 1870 [9 species]

- ♀ **H. afghanica** Roewer, 1960 Afghanistan
H. a. Roewer, 1960: 48, f. 16 a-d (D ♀).

- ♂♀ **H. australis** Simon, 1893 South Africa
H. a. Simon, 1893: 447 (D ♀).
H. a. Tucker, 1920: 472, pl. 29, f. 9 (D ♂♀).
H. a. Smithers, 1945: 15, f. 10a, 11a-c, 12a-b (♂♀).

- ♂♀ **H. brachyplura** Strand, 1913 Palestine
H. b. Strand, 1913b: 148 (D ♂).
H. b. demaculata Strand, 1914: 182 (D ♀).

- ♀ **H. fragilis** Lawrence, 1928 Namibia
H. f. Lawrence, 1928: 242, pl. 21, f. 26 (D ♀).
H. f. Smithers, 1945: 18, f. 10b (♀).

- ♂o **H. lucasi** (O. P.-Cambridge, 1876) Egypt, Libya
Hersilidia l. O. P.-Cambridge, 1876: 562, pl. 58, f. 5 (D ♂♀).
H. maculata Simon, 1908a: 42 (N).
H. l. Wiehle, 1960: 470, f. 15 (♀).

- ♂♀ **H. macullulata** (Dufour, 1831) {T} Mediterranean to Turkmenistan
Aranea m. Dufour, 1831: 360, pl. 10, f. 2 (D ♀).
Hersilia oraniensis Lucas, 1846: 129, pl. 4, f. 8 (D ♂♀).
Hersilia oraniensis Lucas, 1868: 41 (N).

Hersilidia oraniensis Simon, 1870: 347 (79) (N).

H. m. Simon, 1882: 256 (N).

H. m. Simon, 1893: 447, f. 424 (N).

H. maculata Benoit, 1974: 997, f. 2, 5 (♀).

H. maculata Ribera, Ferrández & Pérez, 1988: 98, f. 1, 4, 7-8 (♂♀).

♀ **H. pallida** Kroneberg, 1875 Turkestan, Karakorum (Mongolia)

H. p. Kroneberg, 1875: 13, pl. 5, f. 41 (D ♀).

H. p. Simon, 1893: 445 (N).

♂♀ **H. simoni** (O. P.-Cambridge, 1872) Mediterranean, Nigeria, Cape Verde Is.

Hersiliada s. O. P.-Cambridge, 1872: 275, pl. 14, f. 9 (D ♂♀).

H. s. Simon, 1893: 445 (N).

H. s. Denis, 1955: 128, f. 29 (♀).

H. s. Benoit, 1974: 997, f. 3, 6 (♀).

H. s. Ribera, Ferrández & Pérez, 1988: 99, f. 2, 5, 9-10 (♂♀).

H. s. Schmidt & Krause, 1995: 356, f. 1-2 (♀).

♀ **H. versicolor** (Blackwall, 1865) Cape Verde Is.

Hersilia v. Blackwall, 1865: 81 (D ♀).

H. v. Simon 1893: 445 (N).

Gen. **Murricia** Simon, 1882 [3 species]

♀ **M. cornuta** Baehr & Baehr, 1993 {T} Singapore

M. c. Baehr & Baehr, 1993: 65, f. 12, 42a-b, e-f (D ♀).

♀ **M. crinifera** Baehr & Baehr, 1993 Sri Lanka

M. c. Baehr & Baehr, 1993: 66, f. 43e-f (D ♀).

♀ **M. triangularis** Baehr & Baehr, 1993 India

M. t. Baehr & Baehr, 1993: 67, f. 44e-f (D ♀).

Nomen dubium:

Baehr & Baehr, 1993: 78:

♂♀ *M. indica* (Lucas, 1836): 7, pl. 13, f. 2 (D ♂) India, Sumatra

Gen. **Neotama** Baehr & Baehr, 1993 [4 species]

♂♀ **N. longimana** Baehr & Baehr, 1993 Java, Sumatra

N. l. Baehr & Baehr, 1993: 71, f. 13. 46a-f (D ♂♀).

N. l. Baehr, 1998: 62, f. 1b.

♀ **N. punctigera** Baehr & Baehr, 1993 India

N. p. Baehr & Baehr, 1993: 73, f. 47e-f (D ♀).

♀ **N. rothorum** Baehr & Baehr, 1993 India

N. r. Baehr & Baehr, 1993: 74, f. 48e-f (D ♀).

♂♀ **N. variata** (Pocock, 1899) {T} Sri Lanka

N. v. Baehr & Baehr, 1993: 69, f. 45c-f (T ♂♀ from Tama).

N. v. Baehr, 1998: 62, f. 1c (♂).

Gen. **Promurricia** Baehr & Baehr, 1993 [1 species]

♀ **P. depressa** Baehr & Baehr, 1993 {T} Sri Lanka

P. d. Baehr & Baehr, 1993: 63, f. 11, 41a-b, e-f (D ♀).

Gen. **Tama** Simon, 1882 [24 species]

♀ **T. albigastra** Mello-Leitão, 1928 Brazil

T. a. Mello-Leitão, 1928: 51 (D ♀).

o **T. americana** (Simon, 1887) Paraguay

Rhadine a. Simon, 1887b: 176 (D o).

T. a. Simon, 1893: 445 (N).

♂ **T. argentina** Mello-Leitão, 1942 Argentina

T. a. Mello-Leitão, 1942: 398, f. 14-15 (D ♂).

♂♀ **T. arida** Smithers, 1945 South Africa

T. a. Smithers, 1945: 10, f. 1-2, 7b, 8 (D ♂♀).

♀ **T. bicava** Smithers, 1945 Namibia

T. b. Smithers, 1945: 14, f. 7d, 9b (D ♀).

- T. brasiliensis** Piza, 1937 Brazil
T. b. Piza, 1937: 14, f. 1 (D).
- ♂♀ **T. catamarcaensis** Carcavallo, 1959 Argentina
T. c. Carcavallo, 1959: 127, f. 1-2 (D ♂♀).
- ♂♀ **T. crucifera** Vellard, 1924 Brazil
T. c. Vellard, 1924: 139, pl. 14, f. 51 (D ♂♀).
- ♂ **T. crulsi** Mello-Leitão, 1930 Amazonas
T. c. Mello-Leitão, 1930: 58, f. 8-10 (D ♂).
- ♂♀ **T. edwardsi** (Lucas, 1846) {T} Spain, Portugal, Algeria
Hersilia e. Lucas, 1846: 128, pl. 4, f. 7 (D ♂♀).
T. e. Simon, 1882: 256 (N).
T. e. Simon, 1893: 446 (N).
T. e. Ribera, Ferrández & Pérez, 1988: 100, f. 3, 6, 11 (♂♀).
- ♂ **T. forcipata** F. O. P.-Cambridge, 1902 Guatemala, Mexico
T. f. F.O.P.-Cambridge, 1902: 351, pl. 33, f. 7 (D ♂).
T. f. Schawaller, 1981: 8, f. 7-8 (♂).
- ♂ **T. guyanensis** Mello-Leitão, 1948 Guyana
T. g. Mello-Leitão, 1948: 155, f. 3 (D ♂).
- ♀ **T. habanensis** Franganillo Balboa, 1935 Cuba
T. h. Franganillo Balboa, 1935: f. 35 (D ♀).
T. h. Franganillo Balboa, 1936: 39, f. 17 (D ♀).
T. h. Bryant, 1940: 274, f. 11, 17 (D ♀).
- ♀ **T. incerta** Tucker, 1920 South Africa
T. i. Tucker, 1920: 476 (D ♀).
T. i. Smithers, 1945: 9, F. 7A (♀).
- ♂ **T. karinae** Carcavallo, 1961 Argentina
T. k. Carcavallo, 1961: 61, f. 1-2 (D ♂).
- ♂ **T. longipes** Carcavallo, 1961 Bolivia
T. l. Carcavallo, 1961: 63, f. 3-6 (D ♂).
- ♂♀ **T. mexicana** (O. P.-Cambridge, 1893) Mexico to Panama
Hersilia m. O. P.-Cambridge, 1893: 107, pl. 14, f. 6, 7 (D ♂♀).

T. m. Banks, 1898: 211 (C).

T. m. F.O.P.-Cambridge, 1902: 351, pl. 33, f. 5, 6 (C ♂♀).

T. m. Wunderlich, 1988: 90, f. 169-171 (♂).

♀ ***T. micrura*** Mello-Leitão, 1928 Pernambuco (Brazil)

T. m. Mello-Leitão, 1928: 52 (D ♀).

♀ ***T. obscura*** Smithers, 1945 South Africa

T. o. Smithers, 1945: 12, f. 7c, 9a (D ♀).

♀ ***T. occidentalis*** Schenkel, 1953 Venezuela

T. o. Schenkel, 1953: 9, f. 9 (D ♀).

♀ ***T. pachyura*** Mello-Leitão, 1935 South Brazil

T. p. Mello-Leitão, 1935: 363, f. 1, 2 (D ♀).

♀ ***T. sasaimae*** Mello-Leitão, 1941 Colombia

T. s. Mello-Leitão, 1941: 244 (D ♀).

♂♀ ***T. variata*** Pocock, 1899 Sri Lanka

T. v. Pocock, 1899: 751 (D ♀).

T. v. Pocock, 1900: 242 (D ♂♀).

♀ ***T. vittata*** (Simon, 1887) Venezuela

Rhadine v. Simon, 1887b: 176 (D ♀).

T. v. Simon, 1893: 445 (N).

Nomina dubia:

Baehr & Baehr, 1987: 391:

o *T. brachyura* Simon, 1908b: 406 (D o) Western Australia

♀ *T. novae-hollandiae* (L. Koch, 1876): 828, pl. 71, f. 1 (D ♀) New South Wales, Queensland

Baehr & Baehr, 1993: 79:

♀ *T. gravelyi* Sinha, 1951: 126, f. 3c (D ♀) India

Gen. ***Tamopsis*** Baehr & Baehr, 1987 [49 species]

♂ ***T. amplithorax*** Baehr & Baehr, 1987 Western Australia

T. a. Baehr & Baehr, 1987: 360, f. 3 (D ♂).

- ♂♀ **T. arnhemensis** Baehr & Baehr, 1987 Northern Territory,
T. a. Baehr & Baehr, 1987: 376, f. 27-28 (D ♂♀). Queensland
T. a. Baehr, 1988: 241, f. 3, 8 (♂).
- ♂♀ **T. brachycauda** Baehr & Baehr, 1987 Queensland, New South
T. b. Baehr & Baehr, 1987: 361, f. 6-7 (D ♂♀). Wales
- ♀ **T. brevipes** Baehr & Baehr, 1987 New South Wales
T. b. Baehr & Baehr, 1987: 375, f. 26 (D ♀).
- ♂♀ **T. brisbanensis** Baehr & Baehr, 1987 Queensland, New South
T. b. Baehr & Baehr, 1987: 365, f. 12-13 (D ♂♀). Wales
- ♂ **T. centralis** Baehr & Baehr, 1987 Queensland
T. c. Baehr & Baehr, 1987: 369, f. 17 (D ♂).
- ♂♀ **T. circumvidens** Baehr & Baehr, 1987 Western Australia
T. c. Baehr & Baehr, 1987: 378, f. 29-30 (D ♂♀).
T. c. Baehr, 1988: 241, f. 1, 9 (♂).
T. c. Baehr & Baehr, 1998: 29 (N).
- ♀ **T. cooloolensis** Baehr & Baehr, 1987 Queensland
T. c. Baehr & Baehr, 1987: 375, f. 25 (D ♀).
- ♀ **T. darlingtoniana** Baehr & Baehr, 1987 Western Australia
T. d. Baehr & Baehr, 1987: 371, f. 20 (D ♀).
- ♂♀ **T. daviesae** Baehr & Baehr, 1987 Queensland
T. daviesi Baehr & Baehr, 1987: 367, f. 14-15 (D ♂♀).
- ♂ **T. depressa** Baehr & Baehr, 1992 Western Australia, Northern
T. d. Baehr & Baehr, 1992: 62, f. 1-3 (D ♂). Territory
- ♂♀ **T. ediacarae** Baehr & Baehr, 1988 South Australia
T. e. Baehr & Baehr, 1988: 15, f. 3a-e (D ♀).
T. e. Baehr & Baehr, 1998: 29, f. 23,24,29 (D ♂).
- ♂♀ **T. eucalypti** (Rainbow, 1900) {T} Queensland to South Australia
Tama e. Rainbow, 1899: 486, pl. 23, f. 2 (D ♂♀).
T. e. Baehr & Baehr, 1987: 364, f. 10-11 (T ♂♀ from Tama).

- ♂♀ **T. facialis** Baehr & Baehr, 1993 Western Australia, New South Wales
T. f. Baehr & Baehr, 1993: 365, f. 7-8 (D ♂).
T. triangularis Baehr & Baehr, 1993: 376, f. 17-18 (D ♀).
T. f. Baehr & Baehr, 1995: 110, f. 2 (♂).
T. f. Baehr & Baehr, 1998: 24, f. 28 (N, S).
- ♂♀ **T. fickerti** (L. Koch, 1876) New South Wales, Queensland
Chalinura f. L. Koch, 1876: 830, pl. 71, f. 2 (D ♀).
Rhadine f. Simon, 1882: 255 (N).
T. f. Baehr & Baehr, 1987: 385, f. 37-38 (T ♀ from Tama, D ♂).
T. f. Baehr, 1988: 241, f. 14 (♂).
- ♂♀ **T. fitzroyensis** Baehr & Baehr, 1987 Western Australia
T. f. Baehr & Baehr, 1987: 389, f. 43-44 (D ♂♀).
T. f. Baehr, 1988: 241, f. 7, 19 (♂).
- ♂♀ **T. forrestae** Baehr & Baehr, 1988 Queensland
T. forresti Baehr & Baehr, 1988: 14, f. 1a-e, 2a-e (D ♂♀).
T. forresti Baehr, 1988: 241, f. 5, 13 (♂).
T. f. Baehr & Baehr, 1995: 110 (emendation of incorrect patronym).
- ♀ **T. gibbosa** Baehr & Baehr, 1993 Western & South Australia
T. g. Baehr & Baehr, 1993: 372, f. 13-14 (D ♀).
T. g. Baehr & Baehr, 1998: 26, f. 27 (N).
- ♂ **T. gracilis** Baehr & Baehr, 1993 Western Australia
T. g. Baehr & Baehr, 1993: 379, f. 19-20 (D ♂).
T. g. Baehr & Baehr, 1998: 31, f. 29 (N).
- ♀ **T. grayi** Baehr & Baehr, 1987 New South Wales
T. g. Baehr & Baehr, 1987: 370, f. 19 (D ♀).
- ♀ **T. harveyi** Baehr & Baehr, 1993 Northern Territory
T. h. Baehr & Baehr, 1993: 370, f. 11-12 (D ♀).
- ♂ **T. hirsti** Baehr & Baehr, 1998 South Australia
T. h. Baehr & Baehr, 1998: 23, f. 15, 16, 27 (D ♂).
- ♂♀ **T. jongi** Baehr & Baehr, 1995 Western Australia
T. j. Baehr & Baehr, 1995: 113, f. 4a-d (D ♂♀).

- ♂ **T. kimberleyana** Baehr & Baehr, 1998 Northwestern Australia
T. k. Baehr & Baehr, 1998: 28, f. 21,22,29 (D ♂).
- ♂ **T. kochi** Baehr & Baehr, 1987 Western Australia
T. k. Baehr & Baehr, 1987: 368, f. 16 (D ♂).
- ♀ **T. leichhardtiana** Baehr & Baehr, 1987 Northern Territory,
T. l. Baehr & Baehr, 1987: 382, f. 35 (D ♀). Queensland
T. l. Baehr & Baehr, 1998: 31, f. 28 (N).
- ♂♀ **T. longbottomi** Baehr & Baehr, 1993 Northern Territory
T. l. Baehr & Baehr, 1993: 382, f. 21-24 (D ♂♀).
- ♀ **T. mainae** Baehr & Baehr, 1993 Western Australia
T. m. Baehr & Baehr, 1993: 374, f. 15-16 (D ♀).
- ♂ **T. mallee** Baehr & Baehr, 1989 Western & South Australia
T. m. Baehr & Baehr, 1989: 316, f. 7-8 (D ♂).
T. m. Baehr & Baehr, 1998: 31, f. 29 (N).
- ♂♀ **T. minor** Baehr & Baehr, 1998 Northwestern Australia
T. m. Baehr & Baehr, 1998: 24, f. 17-20,28 (D ♂♀).
- ♂ **T. nanutarrae** Baehr & Baehr, 1989 Western Australia
T. n. Baehr & Baehr, 1989: 310, f. 1-2 (D ♂).
- ♂♀ **T. occidentalis** Baehr & Baehr, 1987 Western Australia
T. o. Baehr & Baehr, 1987: 387, f. 41-42 (D ♂♀).
T. o. Baehr, 1988: 241, f. 16 (♂).
- ♂♀ **T. perthensis** Baehr & Baehr, 1987 Western Australia
T. p. Baehr & Baehr, 1987: 386, f. 39-40 (D ♂♀).
T. p. Baehr, 1988: 241, f. 15 (♂).
- ♂ **T. petricola** Baehr & Baehr, 1995 Queensland
T. p. Baehr & Baehr, 1995: 115, f. 5a-b (D ♂).
- ♀ **T. piankai** Baehr & Baehr, 1993 Western Australia
T. p. Baehr & Baehr, 1993: 368, f. 9-10 (D ♀).
- ♂♀ **T. platycephala** Baehr & Baehr, 1987 Queensland
T. p. Baehr & Baehr, 1987: 359, f. 4-5 (D ♂♀).

♂♀ **T. pseudocircumvidens** Baehr & Baehr, 1987 Northern Territory,
Western & South Australia

T. p. Baehr & Baehr, 1987: 381, f. 34 (D ♀).

T. marri Baehr & Baehr, 1989: 312, f. 3-6 (D ♂♀).

T. p. Baehr & Baehr, 1998: 31, f. 27 (N, S).

♂♀ **T. queenslandica** Baehr & Baehr, 1987 Queensland, New South
T. q. Baehr & Baehr, 1987: 372, f. 21-22 (D ♂♀). Wales

♂♀ **T. raveni** Baehr & Baehr, 1987 Queensland, South Australia
T. r. Baehr & Baehr, 1987: 373, f. 23-24 (D ♂♀).
T. r. Baehr & Baehr, 1998: 27 (N).

♂♀ **T. reevesbyana** Baehr & Baehr, 1987 Western & South Australia
T. r. Baehr & Baehr, 1987: 370, f. 18 (D ♀).
T. distinguenda Baehr & Baehr, 1992: 66, f. 4-8 (D ♂♀).
T. r. Baehr & Baehr, 1998: 27, f. 29 (N, S).

♀ **T. riverinae** Baehr & Baehr, 1993 New South Wales
T. r. Baehr & Baehr, 1993: 363, f. 5-6 (D ♀).

♀ **T. rossi** Baehr & Baehr, 1987 Western Australia
T. r. Baehr & Baehr, 1987: 383, f. 36 (D ♀).

♂ **T. transiens** Baehr & Baehr, 1992 Western Australia, Victoria,
T. t. Baehr & Baehr, 1992: 70, f. 9-11 (D ♂). Northern Territory
T. t. Baehr & Baehr, 1998: 27, f. 28 (N).

♂ **T. trionix** Baehr & Baehr, 1987 Queensland
T. t. Baehr & Baehr, 1987: 380, f. 33 (D ♂).
T. t. Baehr, 1988: 241, f. 12 (♂).

♂♀ **T. tropica** Baehr & Baehr, 1987 Northern Territory, Queensland
T. t. Baehr & Baehr, 1987: 379, f. 31-32 (D ♂♀).
T. t. Baehr, 1988: 241, f. 4, 11 (♂).
T. t. Baehr & Baehr, 1998: 29 (N).

♂♀ **T. tweedensis** Baehr & Baehr, 1987 Queensland, New South
T. t. Baehr & Baehr, 1987: 362, f. 8-9 (D ♂♀). Wales

- ♀ **T. warialdae** Baehr & Baehr, 1998 New South Wales
T. w. Baehr & Baehr, 1998: 32, f. 25,26,28 (D ♀).
- ♀ **T. wau** Baehr & Baehr, 1993 New Guinea
T. w. Baehr & Baehr, 1993: 75, f. 14, 49a-b, e-f (D ♀).
- ♀ **T. weiri** Baehr & Baehr, 1995 Western Australia
T. w. Baehr & Baehr, 1995: 111, f. 3a-b (D ♀).
-

References (109 entries)

Audouin, V. 1825

Explication sommaire des planches d'Arachnides de l'Égypte et de la Syrie, Publiées par Jules-César Savigny. In: Description de l'Égypte ou Recueil des observations et des recherches qui ont été faites en Égypte pendant l'expédition de l'armée française. Histoire Naturelle. Tome Premier 1809. Paris. 4e partie, pp. 99-186. Atlas: pl. 1-9 (Arachnides).

Audouin, V. 1827

Idem. Ibid. 2nd edition. vol.22, pp. 291-430.

Baehr, B. 1988

Zur Systematik, Phylogenie und Zoogeographie der *Tamopsis arnhemensis* - *circumvidens* - *tropica* Gruppe (Araneae, Hersiliidae) aus Australien. In Haupt, J. (ed.). XI Europäisches Arachnologisches Colloquium. Technische Universität Berlin Dokumentation Kongresse und Tagungen 38: 238-249.

Baehr, B. 1998

The genus *Hersilia*: phylogeny and distribution in Australia and New Guinea (Arachnida, Araneae, Hersiliidae). Proceedings of the 17th European Colloquium of Arachnology, Edinburgh 1997. P.A.Selden (ed.): 61-65.

Baehr, B. & Baehr, M. 1987

The Australian Hersiliidae (Arachnida: Araneae): Taxonomy, Phylogeny, zoogeography. - Invertebr. Taxon. 1: 351-437.

Baehr, B. & Baehr, M. 1988

On Australian Hersiliidae from the South Australian Museum (Arachnida: Araneae). Supplement to the revision of the Australian Hersiliidae. - Rec. S. Aust. Mus. 22: 13-20.

Baehr, B. & Baehr, M. 1989

Three new species of genus *Tamopsis* Baehr & Baehr from Western Australia (Arachnida, Araneae, Hersiliidae). Second supplement to the revision of the Australian Hersiliidae. - Rec. West. Aust. Mus. 14: 309-320.

Baehr, B. & Baehr, M. 1992

New species and new records of genus *Tamopsis* Baehr & Baehr, (Arachnida, Araneae, Hersiliidae). Third supplement to the revision of the Australian Hersiliidae. - Rec. West. Aust. Mus. 16: 61-77.

Baehr, B. & Baehr, M. 1993

New species and new records of Hersiliidae from Australia, with an updated key to all Australian species (Arachnida: Araneae: Hersiliidae). Fourth supplement to the revision of the Australian Hersiliidae. - Rec. West. Aust. Mus. 16: 347-391.

Baehr, B. & Baehr, M. 1995

New species and new records of Hersiliidae from Australia (Arachnida, Araneae, Hersiliidae). Fifth supplement to the revision of the Australian Hersiliidae. - Rec. West. Aust. Mus. Suppl. 52: 107-118.

Baehr, B. & Baehr, M. 1998

New species and new records of Hersiliidae from Australia (Arachnida: Araneae: Hersiliidae). Sixth supplement to the revision of the Australian Hersiliidae. - Rec. West. Aust. Mus. 19: 13-38.

Baehr, M. & Baehr, B. 1993

The Hersiliidae of the Oriental Region including New Guinea. Taxonomy, phylogeny, zoogeography (Arachnida, Araneae). - Spixiana (Suppl.) 19: 1-96.

Banks, N. 1898

Arachnida from Baja California. - Proc. Californ. Ac. Sci. (3) 1 (7): 203-308. pl. 13-17.

- Barrion, A.T. & Litsinger, J.A. 1995
 Riceland Spiders of South and Southeast Asia. - CAB international, Wallingford, UK. xix + 700 pp.
- Benoit, P.L.G. 1967
 Révision des espèces africaines du genre *Hersilia* Sav. et Aud. (Aran.-Hersiliidae). - Rev. Zool. Bot. afr. 76: 1-36.
- Benoit, P.L.G. 1971
 Notules arachnologiques africaines, I. - Rev. Zool. Bot. afr. 83: 147-158.
- Benoit, P.L.G. 1974
 Araignées intéressantes du Muséum d'Histoire Naturelle de Genève. - Rev. suisse Zool. 81: 993-998.
- Berland, L. 1919
 Diagnoses préliminaires d'araignées d'Afrique orientale. - Ann. Soc.ent. France 88 Bull.: 347-350. f. 1-9.
- Berland, L. 1920
 Araneae. II., in : Voyage d'Alluaud et Jeannel en Afrique Orient. (Paris) pp. 95-180. f. 113-225.
- Blackwall, J. 1865
 Description of recently discovered spiders collected in the Cape Verde Isl. - Ann. Mag. Nat. Hist. (3)16: 80-101.
- Bryant, E.B. 1940
 Cuban spiders in the Museum of Comparative Zoology. - Bull. Mus. comp. Zool. Harv. 86(7): 247-554.
- Cambridge, F.O.P. 1902
 Araneidea, in : Biologia Centrali-Americana. (London) 2. pp. 313-424. pl. 30-40. (part.).
- Cambridge, O.P. 1872
 General list of the spiders of Palestine and Syria, with descriptions of numerous new species and characters of two new genera. - Proc. Zool. Soc. Lond., 1872, pp. 212-354. pl. 13-16. f. 1-13.

Cambridge, O.P. 1876

Catalogue of a collection of spiders made in Egypt, with descriptions of new species and characters of a new genus. - Proc. Zool. Soc. Lond., 1876, pp. 541-630. pl. 58-60 f. 1-89.

Cambridge, O.P. 1893

Araneidea, in : Biologia Centrali-Americana. (London) 1: pp. 105-120. pl. 14-15. (part).

Carcavallo, R.U. 1959

Una nueva Hersiliidae de Catamarca. - Revta. Soc. ent. argent. 21: 127-128.

Carcavallo, R.U. 1961

Dos nuevas especies de Hersiliidae neotropicales. - Revta Soc. ent. argent. 22: 61-65.

Chen, S.H. 1994

A new record of spider, *Hersilia asiatica* Song and Zheng, from Taiwan (Araneae: Hersiliidae). - Biol. Bull. natl. Taiwan norm. Univ. 29: 1-3.

Chen, Z.F. & Zhang, Z.H. 1991

Fauna of Zhejiang: Araneida. Zhejiang Science and Technology Publishing House. 356 pp.

Denis, J. 1955

Contribution à l'étude de l'Aïr (Mission L. Chopard et A. Villiers). Araignées. - Bull. Inst. fr. Afr. noire 17(A): 99-146.

Dufour, L. 1831

Descriptions et figures de quelques arachnides nouveau ou mal connus. - Ann. Sci. Nat. Paris 22: 355-371. pl. 10, 11.

Feng, Z.Q. 1990

Spiders of China in colour. - Hunan Science and Technology Publishing House. 256 pp.

Franganillo Balboa, P. 1935

Estudio de los arácnidos recogidos durante el verano de 1934. - Belén 1935 (49-50): 20-26; (51-52): 42-48; (55-56): 23-30.

Franganillo Balboa, P. 1936

Los arácnidos de Cuba hasta 1936. La Habana. pp. 1-183.

Gravely, F.H. 1922

Common Indian spiders. - J. Bombay Nat. Hist. Soc. 28: 1045-1050. pl. 1-5. f. 1-13.

Hu, J.L. 1984

The Chinese spiders collected from the fields and the forests. Tianjin Press of Science and Techniques.

Hu, J.L. & Wu, W.G. 1989

Spiders from agricultural regions of Xinjiang Uygur Autonomous Region, China. Shandong Univ. Publ. House, Jinan. 435 pp.

Karsch, E. 1878

Ueber einige von Hildebrandt im Zansibargeb. ges. Arachn. - Zeitschr. ges. Naturw. 51: 311-322. pl. 8. f. 1-8.

Karsch, E. 1881

Spinnen, in : Reliquae Rutenbergianae. - Abh. Nat. Ver. Bremen 7(2): 191-197. pl. 12. f. A-C.

Kauri, H. 1950

On some South African spiders and harvestspiders. - K. fysiogr. Sällsk. Lund Förh. 20(6): 1-16.

Koch, C.L. 1843

Die Arachniden. (Nürnberg) 10: 1-142. f. 756-849.

Koch, L. 1876

Die Arachniden Australiens. (Nürnberg) 1: 741-888. pl. 65-76.

Kroneberg, A. 1875

Arachniden, in : Fedtschenko, Reisen in Turkestan. - Nachr. Ges. Moskau. 19 (3): 1-58. pl. 1-5.

Kulczyński, V. 1901

Arachnoidea in colonia Erythraea a Levander coll. - Bull. Ac. Cracov. 41: 1-64. pl. 1-2. f. 1-50.

Kulczyński, V. 1911

Spinnen aus Nord-Neu-Guinea, in : Res. Exped. Sci. Wichmann Nova Guinea 5 (zool. 3): 423-518. pl. 19-20. f. 1-80.

Lawrence, R.F. 1928

Contributions to a knowledge of the fauna of South-West Africa. Arachnida II. - Ann. S. Afric. Mus. 25(2): 217-312. pl. 21-24. f. 1-58. & f. A-B.

Lawrence, R.F. 1937

A collection of Arachnids from Zululand. - Ann. Natal Mus. 8(2): 211-273. f. 1-30. & pl. 13.

Lawrence, R.F. 1938

A collection of spiders from Natal and Zululand. - Ann. Natal Mus. 8 (3): 455-524. f. 1-40.

Liang, T. & Wang, J.F. 1989

A new species of spiders of the genus *Hersilia* in Xinjiang. - J. August 1st agric. Coll. 12: 56-58.

Lucas, H. 1836

Observations sur les Araneids du genre *Hersilia*. - Mag. Zool. Cl. 8. pl. 12. f. 1-7 & pl. 13. f. 1-16.

Lucas, H. 1846

Exploration scientifique de l'Algérie. Zool. 1. Aran. pp. 89-271. pl. 1-17.

Lucas, H. 1868

Hersilia oraniensis in Span. - Ann. Soc. ent. France (4)8 Bull.: 41.

Lucas, H. 1869

Quelques remarques sur les Artic. addit. obs. dans les palpes des *Actinopus* etc. - Rev. Mag. Zool. (2)21: 160-170. pl. 11. f. 1-5.

Mello-Leitão, C.F. 1941

Catalogo das aranhas da Colombia. - Anais Acad. bras. Cienc. 13: 233-300.

Mello-Leitão, C.F. 1942

Arañas del Chaco y Santiago del Estero. - Revta. Mus. La Plata (N.S., Zool.) 2(16): 381-426.

Mello-Leitão, C.F. 1948

Contribuição ao conhecimento da fauna araneologica da Guianas. - Anais Acad. bras. Cienc. 20: 151-196.

- Mello-Leitão, M.D. 1928
Hersiliideos da Americ. Tropic. - Bol. Mus. Nac. Rio d. Jan. 4 (3): 49-52.
- Mello-Leitão, M.D. 1930
Aranhas do Cumina. - Arch. Mus. Nac. Rio de Jan. 32: 51-74. f. 1-47.
- Mello-Leitão, M.D. 1935
Dois gen. raros de Aranh. nas coll. do instit. Butantan. - Mem. Inst. Butantan 9: 363-366. f. 1-5.
- Piza, S.T.J. 1937
Uma nova esp. de Aranha neotrop. d. fam. Hersiliidae. - Bol. Biol. S. Paulo (N. S.) 3(5): 14-16. f. 1.
- Pocock, R.I. 1898
The Arachn. from the province of Natal. - Ann. Mag. Nat. Hist. (7)2: 197-226. pl. 8. f. 1-18.
- Pocock, R.I. 1899
Diagnoses of some new Indian Arachnids. - J. Bombay Soc. 12: 744-753.
- Pocock, R.I. 1900
The fauna of British India (Arachnida). pp. 153-279. f. 52-89.
- Rainbow, W.I. 1899
Descriptions of some new Aran. of N. S. Wales. IX. - Proc. Linn. Soc. N. S. Wales 25(3): 438-494. pl. 23-24. f. 1-4.
- Ribera, C., Ferrández, M.A. & Pérez, J.A. 1988
Los hersílicos (Araneae, Hersiliidae) de la fauna Ibérica. - Miscellanea zool. Barcelona 10: 97-103.
- Roewer, C.F. 1960
Solifugen und Opilioniden-Araneae Orthognatha, Haplogynae und Entelegynae. - Göteborgs K. Vetensk.-o. VitterhSamh. Handl. 8(7): 3-53.
- Schawaller, W. 1981
Die Spinnenfamilie Hersiliidae in Dominikanischem Bernstein (Stuttgarter Bernsteinsammlung: Arachnida, Araneae). - Stuttg. Beitr. Naturk. (B) 79: 1-10.

Schenkel, E. 1953

Bericht über einige Spinnentiere aus Venezuela. - Verh. naturf. Ges. Basel 64: 1-57.

Schmidt, G.E.W. & Krause, R.H. 1995

Weitere Spinnen von Cabo Verde. - Ent. Z., Frankf. a. M. 105: 355-364.

Simon, E. 1870

Aran. nouveaux ou peu connus du midi de l'Europe. 1. - Mém. Soc. Liège (2)3: 269-358. pl. 1-3. (sep. pp. 1-90).

Simon, E. 1882

Etude sur les Arachnides de l'Yemen méridional. - Ann. Mus. Civ. Genova 18: 207-260. pl. 8. f. 1-23.

Simon, E. 1885

Arachn. rec. à Wagra-Karoor, Distr. de Bellary. - Bull. Soc. Zool. France 10: 1-26. pl. 10. f. 1, 3, 5, 11-14, 18-24.

Simon, E. 1886

Arachn. rec. par Pavie dans le roy. de Siam, Cambodge et Cochinchine. - Act. Soc. Linn. Bord. 40: 137-166.

Simon, E. 1887a

Arachn. rec. à Assinie par Chaper et Alluaud. - Ann. Soc. ent. France (6) 7: 261-276. pl. 6. f. 2-4.

Simon, E. 1887b

Quelques observations sur les Arachnides. - Ann. Soc. ent. France (6) 7 Bull.: 158-159; 167; 175-176; 186-187 & 193-195.

Simon, E. 1893

Histoire Naturelle des Araignées. (Paris) II. Edit. 1(2): 256-488. f. 216-490.

Simon, E. 1904

Arachnides, in : Mission Pavie en Indo-Chine. III. (Paris) pp. 270-295. pl. 16. f. 1-8.

Simon, E. 1907

Arachn. rec. par Fea sur la côte occid. d'Afrique. I. - Ann. Mus. Civ. Genova 43: 218-323. f. 1-3

Simon, E. 1908a
Etude sur les Arachn. rec. par Klaproth in Tripolitaine. - Zool. Jahrb. Syst. 26(4): 419-438.

Simon, E. 1908b
Aran. I., in: Michaelsen & Hartmeyer, Die Fauna Südwest-Australiens. (Jena) 1(12): 359-446. f. 1-14.

Sinha, T.B. 1951
Some Indian spiders of the family Hersiliidae. - Rec. Indian Mus. 48: 121-126.

Smithers, R.H.N. 1945
The Hersiliidae (Araneae) of South Africa. - Trans R. Soc. S. Afr. 31: 1-18.

Song, D.X. 1987
Spiders from agricultural regions of China (Arachnida: Araneae). Agriculture Publishing House, Beijing.

Song, D.X. & Chen, Z.F. 1985
[A description of the male of *Hersilia albomaculata* Wang and Yin (Araneae: Hersiliidae)]. - Acta zootaxon. sin. 10: 445-446. [In Chinese].

Song, D.X. & Zheng, S.X. 1982
A new spider of the genus *Hersilia* from China (Araneae: Hersiliidae). Acta zootaxon. sin. 7: 40-42.

Stoliczka, F. 1869
Contributions towards the knowledge of Indian Arachneidea. - J. Asiat. Soc. Bengal. 38(2; 4): 201-251.

Strand, E. 1907a
Diagnosen neuer Spinnen aus Madagaskar u. Sansibar. - Zool. Anz. 31 (23): 725-748.

Strand, E. 1907b
Süd- u. ostasiatische Spinnen. I. - Abh. Nat. Ges. Görlitz 25: 1-109. f. 1-21.

Strand, E. 1907c
Beiträge zur Spinnenfauna Madagaskars. - Nyt Mag. Naturw. Christiania 46(1): 1-96.

- Strand, E. 1908
Arachn. aus Madagaskar, ges. von Kaudern. - Zool. Jahrb. Syst. 26(4): 453-488. f. A-K.
- Strand, E. 1913a
Arachn. I., in: Wiss. Ergebn. D. Zentr. Afrik. Exped. 4(Zool 2) (11): 325-474.
- Strand, E. 1913b
Erste Mitt. über Spinnen aus Palestina, ges. v. Aharoni. - Arch. Naturg. 79(A 10): 147-162.
- Strand, E. 1914
Zweite Mitt. über Spinnen aus Palestina, ges. von Aharoni. - Arch. Naturg. 80(A 3): 173-186.
- Strand, E. 1915
System.-faunist. Studien über palaearktische, afrikan. u. amerik. Spinnen des Senckenbg. Mus. - Arch. Naturg. 81(A 9): 1-153.
- Thorell, T. 1877
Studi sui ragni Malesi e Papuani. I. - Ann. Mus. Civ. Genova 10: 341-637.
- Thorell, T. 1887
Primo saggio sui ragni Birmani. - Ann. Mus. Civ. Genova 25: 5-417.
- Thorell, T. 1890a
Studi sui ragni Malesi e Papuani. IV.1. - Ann. Mus. Civ. Genova 28: 1-419.
- Thorell, T. 1890b
Aracnidi di Nias e di Sumatra racc. dal Modigliani. - Ann. Mus. Civ. Genova 30: 5-106.
- Thorell, T. 1895
Descriptive Catalogue of the spiders of Burma. (London). pp. 1-406.
- Tikader, B.K. & Biswas, B. 1981
Spider fauna of Calcutta and vicinity: Part-I. - Rec. zool. Surv. India, Occ. Pap. 30: 1-149.

Tucker, R.W.E. 1920
Contribution to the South African Arachn. Fauna. - Ann. S. Afric. Mus.
17(5): 439-488. pl. 28-29.

Vellard, J. 1924
Etudes de Zoologie. - Arch. Inst. Vital. Brazil. 2(2): 121-170 pl. 7-14 f.
33-52.

Walckenaer, C.A.de 1837
Histoire Naturelle des Insectes Aptères. (Paris) 1: 1-682 pl. 1-15.

Wang, J.F. & Yin, C.M. 1985
Two new species of spiders of the genus *Hersilia* from China (Araneae:
Hersiliidae). - Acta zootaxon. sin. 10: 45-49.

Wang, X.P., Song, D.X. & Qiu, Q.H. 1993
A new species of the family Hersiliidae from Yunnan (Araneae). - Acta
zootaxon. sin. 18: 33-35.

Wiehle, H. 1960
Der Embolus des männlichen Spinnentasters. - Verhandl. Deutsch. zool.
Gesells. Bonn/Rhein 1960: 457-480.

Wunderlich, J. 1988
Die Fossilen Spinnen im Dominikanischen Bernstein. Published by the
author, Straubenhardt, West Germany, 378 pp.

Xu, Y.J. 1984
On the males of two species of spiders from China. - J. Huizhou
Teachers Coll. 1984(1): 25-28.

Yaginuma, T. & Wen, Z.G. 1983
Chinese and Japanese spiders (II). - Fac. Let. Rev. Otemon Gakuin Univ.
17: 187-205.
